



IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : **Confirmation No. 4374**
Andre VAN DYK : Attorney Docket No. 2004_1032A
Serial No. 10/500,705 : Group Art Unit 3643
Filed February 1, 2005 : Examiner John D. Holman

EXPLOSIVE PRESSURE
WAVE CONCENTRATOR

RESPONSE TO RESTRICTION REQUIREMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Restriction Requirement of February 17, 2006, Applicants hereby elect the invention of Group II, claims 55-64, without traverse, for further prosecution. In view of this election, a full examination on the merits of the present application is respectfully requested.

If there are any issues that the Examiner feels may best be resolved through a personal or telephone interview, the Examiner is kindly requested to contact the undersigned at the telephone number listed below.

Respectfully submitted,

Andre VAN DYK

THE COMMISSIONER IS AUTHORIZED
TO CHARGE ANY DEFICIENCY IN THE
FEES FOR THIS PAPER TO DEPOSIT
ACCOUNT NO. 23-0975

By: Kenneth W. Fields
Kenneth W. Fields
Registration No. 52,430
Attorney for Applicant

KWF/dib
Washington, D.C. 20006-1021
Telephone (202) 721-8200
Facsimile (202) 721-8250
March 15, 2006